



**Features - Infrared Sensor Controlled OZONE Water.**  
Touch-free OZONE Water dispenser for hygienic usage at all times.

# HYDROGEN FOUNTAIN

**Elegant Design • 3 in 1 Professional Series  
Revolutionary Technology from US DuPont**



**HYDROGEN Water**  
for drinking  
**UP TO 1.3ppm**



**HYDROGEN Gas**  
for inhaling  
**99.999% Purity**



**Uses Indirect Electrolytic OZONE Generation Technology (iEOG)**



**> 90% of pesticides degraded**



**Kills up to 99.99% of bacteria and viruses**



**Highly concentrated dissolved HYDROGEN up to 1,300ppb**



## How OZONE Water Cleans and Disinfect

OZONE Water is water infused with dissolved OZONE kills bacteria and viruses through oxidation and converted to oxygen, leaving no residue behind. OZONE Water is chemical-free, organic, and safe to use in place of chemical disinfectants and cleaners in the home.

More than 10 thousands medical profession are using BiOLUX OZONE Water as disinfectant. OZONE Water is antibacterial and can be used in the following ways:



Personal hygiene



Food sanitation



Disinfecting baby supplies



Pet deodorization



Bathroom cleaning



Disinfecting kitchen tool



Deodorization of towels and fabrics



Removing pesticides from produce



Disinfecting surfaces and countertops



> 90% of pesticides degraded



Kills up to 99.99% of bacteria and viruses

BiOLUX technology ensures our OZONE Water is highly effective at concentrations of up to 4ppm.

## Internationally Renowned Food Safety

Highly concentrated OZONE Water is the first choice disinfectant of international renowned hotel chains, such as

**Marriott**

**Hilton**

**Sheraton**

**Shangri-La**

**Ritz- Carlton**

**Inter-Continental**





# HYDROGEN: The World's Smallest Molecule

HYDROGEN's incredible ability to help prevent and treat diseases comes from its potent antioxidant ability to neutralize hydroxyl free radicals.

## What Are Hydroxyl Free Radicals?

Hydroxyl free radicals are linked to disease, inflammation, and symptoms of aging. When molecules split into single atom with unpaired electrons, hydroxyl free radicals are created. These unstable atoms then cause damage by bonding to healthy cells and scavenging electrons, creating oxidative stress in our bodies.

### Causes of Cell Oxidation and Premature Aging



Processed Food



UV Radiation



Cigarette & Liquors



Stress




Insufficient Sleep




Air Pollution


## How Does HYDROGEN Molecular Works?



HYDROGEN molecules neutralize hydroxyl free radicals



Neutralize hydroxyl free radicals form into water and discharge from our bodies, burden free



## Benefit of inhaling HYDROGEN Gas

Our machines generate pure HYDROGEN Gas with a molecular purity of > 99.999%. Inhaling 1 minute pure HYDROGEN Gas is approximately equivalent to drinking 3 litres of HYDROGEN Water.



= HYDROGEN Water



Pure HYDROGEN Gas is discharged at 40ml/min  $\pm$  10%



≈



1L



1L



1L

*Antioxidant and anti-inflammation by inhaling 1 hour a day*

*\* Individual results may vary and are not intended to represent or guarantee that anyone will achieve the same or similar results.*

# HYDROGEN FOUNTAIN



### HYDROGEN Water for Drinking

One 200ml glass of HYDROGEN Water = 100 lemons of antioxidant level.



### HYDROGEN Gas for Inhalation

Sit back, relax, and breathe in the benefits of HYDROGEN in under 60 minutes.



### OZONE Water for Disinfecting

Kill bacteria with highly concentrated OZONE Water for chemical-free sanitation.

## SPECIFICATIONS :

Model	EOS7130-HG			
	<b>HYDROGEN Water</b>	<b>HYDROGEN Gas</b>	<b>OZONE Water</b>	
Output Time Limit	5 min	unlimited	20 sec	5 min
HYDROGEN Gas Purity	>99.999%			
Flow Rate / Gas Output	90LPH	40ml/min	180LPH, 3L/min	
Concentration	up to 1,300ppb	-	4ppm	4 - 1ppm
ORP Value	≈ -550mV	-		
Water pH	Maintain pH Value**			
Water Source	Tap Water that meets quality criteria for drinking water ***			
Water Input Pressure	2 - 7kg /cm <sup>2</sup> (optimal at 3kg/cm <sup>2</sup> )			
Power Supply	AC 100 ~ 240V / 50 ~ 60Hz			
Power Consumption	60W (on standby ≤ 30W)			
Dimensions (W X D X H)	300 x 165 x 400 (mm)			
Net Weight	7.5 kg			
Warranty	3-year limited warranty			

\*\* pH value is depending on the quality and type of water source.

\*\*\* Tap Water that meets quality criteria for drinking water (hardness of <200ppm CaCO<sub>3</sub>, residual chlorine of <0.1 ppm, conductivity of <500µs/cm, pH6.8~8.0).

### Recognised and Certified by:



Product image is for reference only. All information in this brochure is subjected to change without prior notice. All logos and trademarks shown here are the property of their representative owners. © 2020 Biolux Network (Asia) Sdn. Bhd. All Rights Reserved.